




**FIGURE 1**  
**(Prior Art)**




**FIGURE 2**  
**(Prior Art)**




**FIGURE 3**  
**(Prior Art)**




**FIGURE 4**  
**(Prior Art)**




**FIGURE 5**



**FIGURE 6**




**FIGURE 7**



**BEST AVAILABLE COPY**

**FIGURE 8**



1,2: The subscriber exchanges information with the A/NSP when signing up for a service  
 3: The subscriber configures the RG. This may only be for the initial install. The ACS located within the Regional/Access Network may handle all subsequent conf changes  
 4: The RG initiates access sessions that are terminated in the DSL network. The ACS communicates with the RG for configuration updates.  
 5,6: The NSP communicates with the DSL network to establish a DSL connection. The ASP and NSP also communicate bandwidth and QoS changes per session or application.

FIGURE 9





FIGURE 10



**FIGURE 11**




FIGURE 12






FIGURE 13




BEST AVAILABLE COPY

**FIGURE 14**




**FIGURE 15**




**BEST AVAILABLE COPY**

**FIGURE 16**




**FIGURE 17**




**BEST AVAILABLE COPY**

**FIGURE 18**



**FIGURE 19**



**BEST AVAILABLE COPY**

FIGURE 20






FIGURE 21




BEST AVAILABLE COPY


**FIGURE 22**



**FIGURE 23**



**FIGURE 24**



**FIGURE 25**






FIGURE 26




**FIGURE 27**



- These flows are set up dynamically at the VC client and the DSCP are assigned for the audio and the video streams. The ALG/NAT maps the 10.X.X.X ports to the corresponding IP address and ports for audio and video specified in the ACS profile based on the DSCP set by the VC client. This ensures that the RG, BRAS, and ASP videoconference MCU maintain consistent port information with regard to the various flows.

**FIGURE 28**



**FIGURE 29**







FIGURE 30.




**FIGURE 31**





**FIG. 32A**



**FIG. 32B**




Figure 33